



HiHealth Herdcare form: Retests of Johne's blood positive animal(s)



Please submit samples to Biobest Laboratories, 6 Charles Darwin House, The Edinburgh Technopole,
Milton Bridge, Nr Penicuik, EH26 0PY

Vet Practice:		Farm Name:	
Address:		Address:	
Email:		Email:	
Practitioner:		CPH Number:	
Date Sampled:		Date Sent:	

Blood samples may be submitted alongside faecal samples for follow up testing, however regardless of the follow up blood result, a negative faecal result would still be required to clear the animal of reactor status.

Retest of Johne's blood test positives by faecal screening:

- Faecal samples must be collected per rectum by the herd's veterinary surgeon or someone designated by the veterinary surgeon who is neither the owner of the cattle nor an employee of the owner.
- The person collecting the samples must confirm that the ear number(s) of the animal(s) presented for sampling matches the ear number(s) of the animal(s) that tested positive by the blood test.
- The submission form should be completed and signed by the person who collected the samples and countersigned by the responsible veterinary surgeon, if necessary.
- The samples must be submitted in rigid containers (not gloves) and posted to the Biobest testing laboratory by the veterinary surgeon who collected the samples or by an employee of the veterinary practice.
- The above conditions must be met before the results from faecal samples can be used as a second test for the purposes of CHECS risk level accreditation

I have sampled the animals detailed in accordance with the first three bullet points.

DECLARATION BY PERSON COLLECTING SAMPLE(S)			
Name (block letters)			
Signed		Date	

COUNTERSIGNING VET (if different from person collecting samples)			
Name (block letters)			
Signed	MRCVS	Date	



HiHealth Herdcare form : Retests of Johne's blood positive animal(s)



Biobest No.	Ear Number	Tube Number	Age/DOB	Sex
001				
002				
003				
004				
005				
006				
007				
008				
009				
010				
011				
012				
013				
014				
015				
016				
017				
018				
019				
020				